

Presenting...

CLASSIC-RUGGED



A Classic New Collection



We believe in Life. We believe in Engineering. We believe in Safety.





WWW.KAYKAYINDUSTRIES1962.COM)

IMPROVED FIT

METAL FREE INCREASED FLEX



ART: CLASSIC-GTG

FIT WIDE

SIZE RANGE 4 - 12 | 38 - 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK PERFORATED PU FOAM

COMPOSITE TOE 200J / 15000N TOE CAP

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

LACES BLACK/GREY NYLON **FASTENING TYPE**

EYELETS NON-METALLIC FYELFTS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 15 KV

ANTI SLIP SRC

Tough, Strong and Durable with a METAL FREE design. All these elements you can find in the CLASSIC-RUGGED family. Attractive upper with CORDURA reinforcements for great durability and visibility. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.















IMPROVED FIT COMFORTABLE INCREASED FLEX



ART: CLASSIC-GT

FIT WIDE

SIZE RANGE 4 – 12 | 38 – 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK PERFORATED PU FOAM TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

FASTENING TYPE LACES BLACK/GREY NYLON

EYELETS METALLIC EYELETS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ANTISTATIC FOOTWEAR

ANTI SLIP SRC

Tough, Strong and Durable with a sharp design. All these elements you can find in the CLASSIC-RUGGED family. Attractive upper with CORDURA reinforcements for great durability and visibility. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.


















PRECISION FIT BREATHABLE MOST COMFORT



ART: CLASSIC-DD

FIT WIDE

SIZE RANGE 4 - 12 | 38 - 46

COLOR **BLACK**

UPPER MATERIAL **FULL GRAIN LEATHER**

ANTIBACTERIAL CUSHIONED TEXTILE LINING MATERIAL

INSOLE NON-WOVEN

INSOCK **EVA 3 MM THICK WATER PERMEABLE**

STEEL TOE 200J / 15000N TOE CAP

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

LACES BLACK/GREY NYLON **FASTENING TYPE**

EYELETS METALLIC FYFLETS

IS 15298(PART 2):2016, ISO 20345:2011 STANDARD

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 15 KV

ANTI SLIP SRC

Tough, Strong and Durable with a CLASSIC design. One of the most running and promising article of CLASSIC-RUGGED family. Rugged upper for great durability and comfort. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.

















ATHLETIC FIT STRONG GRIP MOST COMFORT



ART: ATLANTIC

FIT WIDE

SIZE RANGE 4 - 12 | 38 - 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

ANTIBACTERIAL CUSHIONED TEXTILE LINING MATERIAL

INSOLE NON-WOVEN

EVA 3 MM THICK WATER PERMEABLE INSOCK

STEEL TOE 200J / 15000N TOE CAP

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

LACES BLACK/GREY NYLON **FASTENING TYPE**

EYELETS METALLIC FYFLETS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ANTISTATIC FOOTWEAR

ANTI SLIP SRC

Tough, Strong, Durable and Comfortable with a CLASSIC-OXFORD design. One of the most promising and athletic fit article of CLASSIC-RUGGED family. Rugged upper for great durability and comfort. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.

















PRECISION FIT BREATHABLE LIGHT WEIGHT



ART: CLASSIC-SD

FIT WIDE

SIZE RANGE 4 - 12 | 38 - 46

COLOR BLACK

UPPER MATERIAL **FULL GRAIN LEATHER**

ANTIBACTERIAL CUSHIONED TEXTILE LINING MATERIAL

INSOLE NON-WOVEN

INSOCK **EVA 3 MM THICK WATER PERMEABLE**

STEEL TOE 200J / 15000N **TOE CAP**

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE SINGLE DENSITY

FASTENING TYPE LACES BLACK NYLON **EYELETS** METALLIC FYFLETS

IS 15298(PART 2):2016, ISO 20345:2011 STANDARD

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 15 KV

ANTI SLIP SRA

Tough, Strong and Durable with a CLASSIC design. One of the most running and promising article of CLASSIC-RUGGED family. Rugged upper for great durability and comfort. Full Polyurethane sole in Single Density providing a very light weight shoe for full day comfort in a decent workplace.

















ATHLETIC FIT STRONG GRIP MOST COMFORT



ART: RAPID-BLACK

FIT WIDE

SIZE RANGE 4 - 12 | 38 - 46

COLOR BLACK

UPPER MATERIAL **FULL GRAIN LEATHER**

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

EVA 3 MM THICK WATER PERMEABLE INSOCK

STEEL TOE 200J / 15000N TOE CAP

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

LACES BLACK/GREY NYLON **FASTENING TYPE**

EYELETS METALLIC FYFLETS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ANTISTATIC FOOTWEAR

ANTI SLIP SRC

Tough, Strong, Durable and Comfortable with a CLASSIC-OXFORD design. Also, one of the most promising and athletic fit article of CLASSIC-RUGGED family. Rugged upper for great durability and comfort. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.

















ATHLETIC FIT STRONG GRIP MOST COMFORT



ART: FORCE

FIT WIDE

SIZE RANGE 4 - 12 | 38 - 46

COLOR BLACK

UPPER MATERIAL **FULL GRAIN LEATHER**

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

EVA 3 MM THICK WATER PERMEABLE INSOCK

TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

LACES BLACK/GREY NYLON **FASTENING TYPE EYELETS** DURABI F TEXTIL F HOOKS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ANTISTATIC FOOTWEAR

ANTI SLIP SRC

Tough, Strong, Durable and Comfortable with a CLASSIC-OXFORD design. Also, one of the most promising and athletic fit article of CLASSIC-RUGGED family. Rugged upper for great durability and comfort. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.






















EASY SLIP-ON

BREATHABLE LIGHT WEIGHT



ART: SLIP-ON BLACK

FIT WIDE

SIZE RANGE 4 - 12 | 38 - 46

COLOR BLACK

UPPER MATERIAL **FULL GRAIN LEATHER**

ANTIBACTERIAL CUSHIONED TEXTILE LINING MATERIAL

INSOLE NON-WOVEN

INSOCK **EVA 3 MM THICK WATER PERMEABLE**

COMPOSITE TOE 200J / 15000N **TOE CAP**

CONSTRUCTION STROBEL

POLYURETHANE SINGLE DENSITY **OUTSOLE**

FASTENING TYPE SLIPON EYELETS NA

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 15 KV

ANTI SLIP SRA

Tough, Strong and Durable with a CLASSIC-SLIPON design. One of the most running and promising article of CLASSIC-RUGGED family. Rugged upper for great durability and comfort. Full Polyurethane sole in Single Density providing a very light weight shoe for full day comfort in a decent workplace.


















ROBUST

PROTECTIVE

DURABLE



ART: GUARDIAN

FIT WIDE (HIGH ANKLE)

SIZE RANGE 4 – 12 | 38 – 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK EVA 3 MM THICK WATER PERMEABLE

TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

FASTENING TYPE LACES BLACK/GREY NYLON

EYELETS METALLIC EYELETS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 15 KV

ANTI SLIP SRC

Rugged, Strong, Durable and Comfortable with a HIGH ANKLE design. One of the most running and promising article of CLASSIC-RUGGED family. Rugged upper for great durability and protection. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.

















PRECISION FIT

STABILITY

DURABLE



ART: MSTR-BLUE

FIT WIDE (HIGH ANKLE)

SIZE RANGE 4 – 12 | 38 – 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK EVA 3 MM THICK WATER PERMEABLE

TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

FASTENING TYPE LACES BLACK/GREY NYLON

EYELETS METALLIC EYELETS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ANTISTATIC FOOTWEAR

ANTI SLIP SRC

Rugged, Strong, Durable and Comfortable with a HIGH ANKLE design. One of the most running and promising article of CLASSIC-RUGGED family. Rugged upper for great durability and protection. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.

















ROBUST

FULL PROTECTION

DURABLE



ART: DELTA-GTX

FIT WIDE (HIGH ANKLE)

SIZE RANGE 4 – 12 | 38 – 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK PU FOAM INSOCKS

TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION STROBEL

OUTSOLE POLYURETHANE DOUBLE DENSITY

FASTENING TYPE LACES BLACK/GREY NYLON

EYELETS BRASS NICKEL D-RINGS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ANTISTATIC FOOTWEAR

ANTI SLIP SRC

Rugged, Strong, Durable and Comfortable with a HIGH ANKLE design. One of the most running and promising article of CLASSIC-RUGGED family. Rugged upper for great durability and protection. Polyurethane midsole together with a rigid and strong higher density polyurethane outsole for perfect grip on uneven surfaces.

















REDEFINED

RELIABLE

DURABLE



ART: HUNTER-HF

FIT WIDE (HIGH ANKLE)

SIZE RANGE 4 – 12 | 38 – 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK EVA 3 MM THICK WATER PERMEABLE

TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION CEMENTED

OUTSOLE HIGH QUALITY NITRILE RUBBER SOLE

FASTENING TYPE LACES BLACK/GREY NYLON

EYELETSMETALLIC D-RINGS WITH HOOKS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 20 KV

ANTI SLIP SRC

Redefined, Strong, Durable, Comfortable and high temperature resistance up to 300 degrees celsius with a HIGH ANKLE design. One of the most running and light weight design for usage in heavy metal industries. Full Nitrile Rubber outsole with great flexibility, lighter in weight having appealing looks perfectly designed for work in high temperatures.

















REDEFINED

RELIABLE

DURABLE



ART: HUNTER-LF

FIT WIDE (LOW ANKLE)

SIZE RANGE 4 – 12 | 38 – 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK EVA 3 MM THICK WATER PERMEABLE

TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION CEMENTED

OUTSOLE HIGH QUALITY NITRILE RUBBER SOLE

FASTENING TYPE LACES BLACK/GREY NYLON

EYELETS METALLIC D-RINGS WITH HOOKS **STANDARD** IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 20 KV

ANTI SLIP SRC

Redefined, Strong, Durable, Comfortable and high temperature resistance up to 300 degrees celsius with a LOW ANKLE design. One of the most running and light weight design for usage in heavy metal industries. Full Nitrile Rubber outsole with great flexibility, lighter in weight having appealing looks perfectly designed for work in high temperatures.

















REDEFINED

RELIABLE

DURABLE



ART: K-3512

FIT NARROW (HIGH ANKLE)

SIZE RANGE 4 – 12 | 38 – 46

COLOR BLACK

UPPER MATERIAL FULL GRAIN LEATHER

LINING MATERIAL ANTIBACTERIAL CUSHIONED TEXTILE

INSOLE NON-WOVEN

INSOCK EVA 3 MM THICK WATER PERMEABLE

TOE CAP STEEL TOE 200J / 15000N

CONSTRUCTION VULCANIZING

OUTSOLE BLENDED NITRILE RUBBER SOLE

FASTENING TYPE LACES BLACK/GREY NYLON

EYELETS METALLIC D-RINGS

STANDARD IS 15298(PART 2):2016, ISO 20345:2011

ELECTRICAL PROPERTY ELECTRICAL SHOCKPROOF 20 KV

ANTI SLIP SRC

Tough, Strong, Durable, Comfortable and high temperature resistance up to 300 degrees celsius with a HIGH ANKLE design. One of the most running article for usage in heavy metal industries. Full Blended Nitrile Rubber outsole perfectly designed for work in high temperatures.

















SOLE PROFILES

POLYURETHANE DOUBLE DENSITY SOLE





NITRILE RUBBER SOLE





PU MIDSOLE + NITRILE RUBBER OUTSOLE









REGISTERED OFFICE

119/978 - D, Darshan Purwa, Kalpi Road, Kanpur (U.P.) - 208012

INDIA

M: +91 9918961962, 8707489967, 9451021546

O: 0512 3520672



FACTORY

B-6, UDYOG KUNJ, PANKI SITE NO. 5, KANPUR - 208022 INDIA.

EMAIL-1: SALES@KAYKAYINDUSTRIES1962.COM

EMAIL-2: CEO@KAYKAYINDUSTRIES1962.COM

Web: https://www.kaykayindustries1962.com